



AQUA TANKS

A Division of Galloway International Ltd.

THE NATURAL CHOICE




0800 370 007

03/2021




Above ground Tanks

AQ31000
(31,000 ltrs)



AQ25200
(25,210 ltrs)



AQ21000
(21,036 ltrs)



AQ16000
(16,095 ltrs)



(Our four largest tanks can be partially buried 700mm; conditions apply)

Slimline Tanks


SL01000
(1020 ltrs)



SL02000
(2040 ltrs)



SL03000
(3060 ltrs)



Modular Solutions
(1020 ltrs x (Number of Slimline Tanks))






	Model	Capacity (Litres)	Weight (KG)	Diameter (mm)		Height (mm)		Outlet (mm)
				Base	Top	Overall	to Inlet	Qty x Size
Above Ground	AQ31000	31,000	500	3760	3760	3100	2950	1 x 50mm BSP
	AQ25200	25,210	400	3555	3555	2900	2750	1 x 50mm BSP
	AQ21000	21,036	330	3555	3555	2350	2180	1 x 50mm BSP
	AQ16000	16,095	280	3555	3555	2000	1800	1 x 50mm BSP
	AQ10000	10,046	220	2200	2200	3000	2870	1 x 50mm BSP
	AQ05000	5,020	100	1770	1770	2280	2200	1 x 50mm BSP
	AQ03000	3,080	75	1600	1600	1800	1750	1 x 40mm BSP
	AQ02700	2,555	60	1280	1350	2000	1970	1 x 40mm BSP
	AQ02500	2,510	60	1600	1600	1500	1480	1 x 40mm BSP
	AQ01600	1,640	45	1290	1350	1580	1500	1 x 25mm BSP
	AQ01100	1,110	40	900	960	1800	1750	1 x 25mm BSP
	AQ00800	774	35	1090	1350	850	720	1 x 25mm BSP
	AQ00600	598	25	800	980	1140	1100	1 x 25mm BSP
	AQ00450	475	25	890	890	960	850	1 x 25mm BSP
	AQ00300	295	20	800	980	650	600	1 x 25mm BSP

	Model	Capacity (Litres)	Weight (KG)	Diameter (mm)		Height (mm)	Outlet (mm)
				Base	Top		
Export Stackable	ST06000	5,681	135	1877	2278	2000	1 x 40mm BSP
	ST05000	5,020	100	1850	2270	1750	1 x 40mm BSP
	ST03000	2,840	80	1450	1850	1695	1 x 40mm BSP
	ST02000	1,894	50	1150	1580	1600	1 x 40mm BSP

	Model	Capacity (Litres)	Weight (KG)	Diameter (mm)		Length (mm)	Outlet (mm)
				Base	Top		
Horizontal Underground	HZ03000	3,044	170	2380	1370	1520/1800	1 x 40mm BSP
	HZ01900	1,865	100	1450	1360	1520/1800	1 x 40mm BSP
	HZ00500	495	35	1150	800	950	1 x 40mm BSP


AQ10000
(10,046 ltrs)




AQ05000
(5,020 ltrs)




AQ03000
(3,080 ltrs)




AQ02700
(2,555 ltrs)



AQ02500
(2,510 ltrs)




HZ00500
(495 ltrs)




HZ01900 (AG/UG)
(1,865 ltrs)




HZ03000 (AG/UG)
(3,044 ltrs)



Horizontal Underground Tanks



- The largest range of water storage tanks in New Zealand
- Recyclable material
- Vent in large tank dome allows for pressure stability
- Prevents algae growth
- Large tanks include a tank fitting outlet
- Will not taint water
- Small tanks have a tapped threaded outlet
- Non-toxic food-grade (FDA approved)
- Delivery throughout the North Island





LET AQUA TANKS PROVIDE YOUR WATER STORAGE SOLUTIONS

Aqua Tanks™, a division of Galloway International Ltd

Galloway International Ltd is recognised as one of the leaders in the concept, design, development and manufacture of thermoplastic products and systems. We have over 40 years of experience in national and international markets and are ISO9001, ISO14001 and third party certified.

Aqua Tanks™ has earned the reputation of providing high quality polyethylene storage tanks for water, molasses and chemicals. Our product choice and colour range is extensive. We manufacture tanks from 295 litres to 31,000 litres and produce a range of filters and tank accessories.

Our Tanks

Every Aqua Tank™ is manufactured to the Australian and New Zealand water tank standard AS/NZS 4766:2006 and independently certified by a professional engineer. Every tank is produced from quality food-grade, UV resistant material. Aqua Tanks™ are moulded in one piece and designed to ensure that stresses are contained within the patented ribbed walls and domed construction (NZ Design Patent 505190). In addition to being structurally robust, the tanks have been architecturally designed to be aesthetically pleasing, that is why Aqua Tanks™ is "The Natural Choice".

Polyethylene

The polyethylene used in the manufacturing process of Aqua Tanks™ is an extremely durable, robust and lightweight thermoplastic. The colour and ultraviolet stabilisers are compounded to give long term resistance and endurance to harsh sun. No chemical reactions take place during the manufacturing process and consequently there is no tainting of water with polyethylene.

Manufacturing

Our manufacturing plant in East Tamaki, Auckland incorporates a unique process: Rotational Moulding. The moulding process virtually ensures stress-free products. The tanks are a one-piece construction and are seamless to ensure years of trouble free storage.

Chemical and Molasses Tanks

Aqua Tanks™ molasses and chemical tanks are approved and certified to the Standard AS/NZS 4766:2006
Our chemical tanks are certified to the HSNOCOP 61 chemical standard.

Molasses and chemical tanks are made to order with the specific gravity suited to contain and store heavy molasses or similar liquids (1L = 1.4kg). This means that 1000L will weigh 1400kg, and the tank is engineered to adequately hold the additional weight. Molasses and chemical tanks are the same shape as a standard tank but with thicker walls for heavy viscous liquids and are available in a range of colours and sizes.

Featured Accessories



Ecojet Pumps



Aqua Vane



Aqua Snorkel



*Tank to Pump
Connector*



Pump Cover



The AQ31000, AQ25200, AQ21000, and AQ16000 have a vent, lifting lugs and the facility to install multiple inlet and overflow pipes



All Aqua Tanks™ have a BSP threaded outlet near the base, large tanks (AQ05000 - AQ31000) include a 50mm BSP female tank fitting



Aqua Tanks™ have additional strength moulded into the tanks through a combination of lifting eyes (AQ05000-AQ31000), patented ribbed and domed construction



Trademark #1020453

Patent #505190

Trademark of
Galloway International Ltd.

✓ Installation

Installation instructions are provided at the time of delivery. It is important that the installation instructions are followed to protect your pro-rata warranty. Installation instructions are also available on our website www.aquatanks.co.nz.

✓ Delivery

We can arrange delivery of your tank anywhere in the North Island. Please contact one of our team to confirm delivery of your tank. Large tanks require a big area to unload.

✓ New Zealand Standard

All of our tanks are manufactured to the highest standard for water storage tanks AS/NZS 4766:2006.

✓ Warranty

All Aqua Tanks™ come with a pro-rata warranty which warrants the tank against any defects in material or manufacturing.

TERMS AND CONDITIONS

Aqua Tanks® is a registered trademark and wholly owned division of Galloway International Ltd. Galloway International Ltd continuously explores means to improve the products that it designs, manufactures and distributes. Photos used do not necessarily depict standard features and Galloway International Ltd reserves the right to change specifications of its water tanks and accessories without notice. Every effort is made to produce sales and service literature which is current. This brochure should not be regarded as a precise guide to the latest specifications. This brochure is also not an offer for sales of any water tank or accessories. Distributors and dealers are not agents of Galloway International Ltd and they have no authority to bind Galloway International Ltd by any express undertaking or representation including but not limited to representations of a product sales, application or service nature.

Dealer Name:



HEAD OFFICE

36 Cryers Rd, East Tamaki,

P.O. BOX 58-632 Botany, Auckland 2013, New Zealand

0800 370 007

Phone: 64-9-273-5666

Fax: 64-9-273-5668

Email: tcs@aquatanks.co.nz

www.aquatanks.co.nz